

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	20	("6769063" or "6320964" or "5825886" or "6272221" or "6424713" or "6567943" or "6591349" or "6792536" or "20020106080" or "20020106078"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 12:32
S2	3333	380/29,36,37,42,259,264,265,268, 278-286,44-47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:12
S3	2462	S2 and @ad<"20001213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:37
S4	2113	S3 and (cryptograph\$3 or encod\$4 or encipher\$4 or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:48
S5	1053	S4 and (des or sbx or "data encryption standard")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:47
S6	172	S5 and permutation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:51
S7	46	S6 and expansion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:48
S8	35	S5 and (key adj schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:53

S10	119	S5 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:40
S11	129	S5 and (multiplexer or mux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:40
S13	50	S11 and ((multiplexer or mux) with (two or "2"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:56
S15	31	S5 and ("clock speed" or "clock frequency")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:59
S16	6714221	des	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:11
S17	20757	S16 and (cryptography or cryptographic or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:11
S18	2177	S17 and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:06
S19	113	S18 and (asynchronous with buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:09

S20	71	S19 and @ad<"20001213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:09
S21	6714419	des or "data encryption standard"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:11
S22	20955	S21 and (cryptography or cryptographic or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:12
S23	10666	S22 and @ad<"20001213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:44
S24	71	S23 and (asynchronous with buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:13
S25	7	S23 and "asynchronous input"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:45
S26	3335	380/29,36,37,42,259,264,265,268, 278-286,44-47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:49
S27	2464	S26 and @ad<"20001213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:49

S28	2108	S27 and (cryptograph\$3 or encod\$4 or encipher\$4 or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:49
S29	192	S28 and (asynchronous or ((different or differing) with clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:27
S30	4485	asynchronous with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 09:46
S31	267	S30 and ("data path width" or "data width" or "path width" or "bit width")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 09:47
S32	209	S31 and @ad< "20001213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 09:48
S33	158	S32 and ("32" and "64")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:03
S34	142	"input buffer" adj (size or width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:04
S35	22	S34 and "payload"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:04

S36	3335	380/29,36,37,42,259,264,265,268, 278-286,44-47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:27
S37	2464	S36 and @ad<"20001213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:27
S38	2108	S37 and (cryptograph\$3 or encod\$4 or encipher\$4 or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:27
S39	192	S38 and (asynchronous or ((different or differing) with clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:27
S40	110	S39 and ("des" or "data encryption standard")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:44
S41	87	S40 and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:44